ELSEVIER

Journal of Statistical Planning and Inference 108 (2002) 411–412

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 108 (2002)*

Archer, G.E.B. and D.M. Titterington, Parameter estimation for hidden Markov chains	(1–2)	365–390
Barnard, G.A. and J.B. Copas, Likelihood inference for location, scale, and shape	(1–2)	71–83
Bera, A.K., T. Suprayitno and G. Premaratne, On some heteroskedasticity-robust estimators of variance–covariance matrix of the least-squares estimators	(1–2)	121–136
Bhattacharya, R. and V. Patrangenaru, Nonparametic estimation of location and dispersion on Riemannian manifolds	(1–2)	23–35
Brunner, E., U. Munzel and M.L. Puri, The multivariate nonparametric Behrens–Fisher problem	(1–2)	37–53
Cai, T.T., On adaptive wavelet estimation of a derivative and other related linear inverse problems	(1–2)	329–349
Copas, J.B., *see* G.A. Barnard	(1–2)	71–83
Cubedo, M. and J.M. Oller, Hypothesis testing: a model selection approach	(1–2)	3–21
Fortiana, J. and A. Grané, A scale-free goodness-of-fit statistic for the exponential distribution based on maximum correlations	(1–2)	85–97
Fu, L. and D.G. Simpson, Conditional risk models for ordinal response data: simultaneous logistic regression analysis and generalized score tests	(1–2)	201–217
Fujikoshi, Y., Asymptotic expansions for the distributions of multivariate basic statistics and one-way MANOVA tests under nonnormality	(1–2)	263–282
Grané, A., *see* J. Fortiana	(1–2)	85–97
Huang, J.Z., *see* C.J. Stone	(1–2)	219–253
Kano, Y., Variable selection for structural modelsDedicated to the eightieth birthday of Professor C.R. Rao	(1–2)	173–187
Koul, H.L. and L. Qian, Asymptotics of maximum likelihood estimator in a two-phase linear regression model	(1–2)	99–119
Levin, B., H. Robbins and C.-H. Zhang, Mathematical aspects of estimating two treatment effects and a common variance in an assured allocation design	(1–2)	255–262
Lockhart, R.A., *see* J.J. Spinelli	(1–2)	137–154
Munzel, U., *see* E. Brunner	(1–2)	37–53
Oller, J.M., *see* M. Cubedo	(1–2)	3–21
Paparoditis, E. and D.N. Politis, The local bootstrap for Markov processes	(1–2)	301–328
Patrangenaru, V., *see* R. Bhattacharya	(1–2)	23–35
Politis, D.N., *see* E. Paparoditis	(1–2)	301–328
Premaratne, G., *see* A.K. Bera	(1–2)	121–136
Pronzato, L., Information matrices with random regressors. Application to experimental design	(1–2)	189–200
Puri, M.L., *see* E. Brunner	(1–2)	37–53
Puri, M.L., *see* K. Sakiyama	(1–2)	351–364
Qian, L., *see* H.L. Koul	(1–2)	99–119
Robbins, H., *see* B. Levin	(1–2)	255–262

*The issue number is given in front of page number.

Elsevier Science B.V.
PII: S0378-3758(02)00430-5

Sakiyama, K., M. Taniguchi and M.L. Puri, Asymptotics of tests for a unit root in autoregression	(1–2)	351–364
Shen, X., Spline adaptation to smoothness	(1–2)	391–409
Simpson, D.G., *see* L. Fu	(1–2)	201–217
Spinelli, J.J., R.A. Lockhart and M.A. Stephens, Tests for the response distribution in a Poisson regression model	(1–2)	137–154
Stephens, M.A., *see* J.J. Spinelli	(1–2)	137–154
Stone, C.J. and J.Z. Huang, Free knot splines in concave extended linear modeling	(1–2)	219–253
Suprayitno, T., *see* A.K. Bera	(1–2)	121–136
Taniguchi, M., *see* K. Sakiyama	(1–2)	351–364
Titterington, D.M., *see* G.E.B. Archer	(1–2)	365–390
van de Geer, S., M-estimation using penalties or sieves	(1–2)	55– 69
Vilar-Fernández , J.A., *see* J.M. Vilar-Fernández	(1–2)	283–299
Vilar-Fernández, J.M. and J.A. Vilar-Fernández, Bootstrap of minimum distance estimators in regression with correlated disturbances	(1–2)	283–299
Wang, W. and M.T. Wells, Power analysis for linear models with spherical errors	(1–2)	155–171
Wells, M.T., *see* W. Wang	(1–2)	155–171
Zhang, C.-H., *see* B. Levin	(1–2)	255–262